

PURE GRIT CAST CONCRETE FIREPLACE SURROUNDS


TECHNICAL PRODUCT SPECIFICATION SHEET | GREENSBORO,GA

01. AETHER 42" SURROUND

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Overall Dimensions	4' 10 1/4" W x 5' 0" H
Opening Dimensions	3' 6 1/4" W x 3' 8" H
Depth / Return	10" Return | 8" Leg Face
Firebox Match	Standard 42" Firebox








02. APHRODITE SERIES


SPECIFICATIONS: APHRODITE 42" MODEL


Overall Dimensions	5' 6" W x 5' 0" H
Opening Dimensions	3' 6" W x 4' 0" H
Depth / Return	11" Return | 12" Face
Firebox Match	Standard 42" Firebox


SPECIFICATIONS: APHRODITE 54" MODEL


Overall Dimensions	6' 6" W x 5' 0" H
Opening Dimensions	4' 6" W x 4' 1/16" H
Depth / Return	11" Return | 12" Face
Firebox Match	Standard 54" Firebox















03. APOLLO SERIES


SPECIFICATIONS: APOLLO 42" MODEL


Overall Dimensions	5' 5 1/4" W x 4' 0" H
Opening Dimensions	3' 6" W x 4' 3/8" H
Depth / Return	8 1/4" Return | 11 5/8" Face
Firebox Match	Standard 42" Firebox


SPECIFICATIONS: APOLLO 50" MODEL


Overall Dimensions	6' 5 1/4" W x 5' 0" H
Opening Dimensions	4' 6" W x 4' 1/2" H
Depth / Return	8 7/16" Return | 11 5/8" Face
Firebox Match	Standard 50" Firebox















04. ARTEMIS SERIES


SPECIFICATIONS: ARTEMIS 42" MODEL


Overall Dimensions	5' 6" W x 5' 0" H
Opening Dimensions	3' 6" W x 4' 0" H
Depth / Return	6" Return | 12" Face
Firebox Match	Standard 42" Firebox


SPECIFICATIONS: ARTEMIS 50" MODEL


Overall Dimensions	6' 2" W x 5' 0" H
Opening Dimensions	4' 2" W x 4' 0" H
Depth / Return	6" Return | 12" Face
Firebox Match	Standard 50" Firebox

















05. ATHENA 50" SURROUND

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Overall Dimensions	6' 5 1/8" W x 5' 0" H
Opening Dimensions	4' 4 1/8" W x 4' 1/2"H
Depth / Return	10" Base Depth | 1' 1/4" Base Face
Firebox Match	Standard 50" Firebox








06. EROS SERIES


SPECIFICATIONS: EROS 42" MODEL


Overall Dimensions	5' 4" W x 5' 0" H
Opening Dimensions	3' 6" W x 4' 1" H
Depth / Return	8" Return | 11" Face
Firebox Match	Standard 42" Firebox


SPECIFICATIONS: EROS 50" MODEL


Overall Dimensions	6' 9 3/4" W x 5' 0" H
Opening Dimensions	4' 1 3/4" W x 3' 8" H
Depth / Return	10" Return | 16" Face
Firebox Match	Standard 50" Firebox















07. HADES SERIES


SPECIFICATIONS: HADES 42" MODEL


Overall Dimensions	5' 5 15/16" W x 5' 0" H
Opening Dimensions	3' 5 15/16" W x 4" 1'H
Depth / Return	6" Return | 12" Face
Firebox Match	Standard 42" Firebox


SPECIFICATIONS: HADES 50" MODEL


Overall Dimensions	6' 2" W x 5' 0" H
Opening Dimensions	4' 2" W x 4' 0" H
Depth / Return	10" Return | 12" Face
Firebox Match	Standard 50" Firebox
















08. HELOS MANTEL


TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Top Width	8' 1 1/4" Wide
Height / Depth	1' 5 1/2" Elevation | 1' 7 1/2" Projection







09. ICARUS MANTEL AND COORDINATING LEG

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Top / Width	4' 11" Wide
Height / Depth	10" Elevation | 10" Projection










10. IRIS 50" SURROUND

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Overall Dimensions	6' 4 3/8" W x 4' 11 5/8" H
Opening Dimensions	4' 6" W x 3' 7 1/8" H
Depth / Return	10 3/4" Return | 8 3/4" Leg Face
Firebox Match	Standard 50" Firebox








11. MIDAS SERIES


SPECIFICATIONS: MIDAS 42" MODEL

Overall Dimensions	6' W x 5' 0" H
Opening Dimensions	3' 6" W x 3' 9"H
Depth / Return	8" Return | 1' 3" Face
Firebox Match	Standard 42" Firebox

SPECIFICATIONS: MIDAS 50" MODEL


Overall Dimensions	6' 8" W x 5' 0" H
Opening Dimensions	4' 2" W x 3' 9"H
Depth / Return	8" Return | 1' 3" Face
Firebox Match	Standard 50" Firebox







12. MINOS MANTEL AND COORDINATING LEG

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Top / Width	6' 4 15/16" Wide
Height / Depth	1' 1 13/16" Elevation | 1' 2 3/8" Projection








13. NYX FLUTED SERIES

SPECIFICATIONS: NYX 42" MODEL

Overall Dimensions	5' 10 15/16" W x 5' 0" H
Opening Dimensions	3' 4" 3/16" W x 3' 9"H
Depth / Return	7" Return | 1' 3 3/8" Face
Firebox Match	Standard 42" Firebox


SPECIFICATIONS: NYX 50" MODEL

Overall Dimensions	6' 2" W x 5' 0" H
Opening Dimensions	4' 1 1/2" W x 3' 8"H
Depth / Return	1'0 1/4" Return | 1' 7/16" Face
Firebox Match	Standard 50" Firebox




14. PERSEPHONE 48" SURROUND

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Overall Dimensions	5' 2 1/2" W x 5' 0" H
Opening Dimensions	3' 11" W x 4' 4 1/4" H
Depth / Return	8" Return | 7 7/8" Leg Face
Firebox Match	Standard 48" Firebox




15. PROMETHEUS 42" SURROUND


TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Overall Dimensions	5' 9 1/4" W x 5' 0" H
Opening Dimensions	3' 6" W x 3' 10 3/8" H
Depth / Return	8" Return | 1' 1 5/8" Leg Face
Firebox Match	Standard 50" Firebox




15. PAN 48" SURROUND

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Overall Dimensions	6' 0" W x 4' 2 1/4" H
Opening Dimensions	4' 0" W x 3' 2 1/4" H
Depth / Return	5" Return | 1' 0" Leg Face
Firebox Match	Standard 50" Firebox










15. ASTERIA 55" SURROUND

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Overall Dimensions	6' 7" W x 5' 2" H
Opening Dimensions	4' 7" W x 4' 2" H
Depth / Return	10" Return | 1' 0" Leg Face
Firebox Match	Standard 50" Firebox










16. EOS MANTEL AND COORDINATING LEG

TECHNICAL SPECIFICATION	DETAILS & DIMENSIONS
Top / Width	7' 6 1/2" Wide
Height / Depth	1' Elevation | 1' 1/16" Projection







13. HERMES SERIES

SPECIFICATIONS: BLANK 42" MODEL

Overall Dimensions	4' 10" W x 4' 5" H
Opening Dimensions	3' 6" W x 3' 9"H
Depth / Return	8" Return | 8" Face
Firebox Match	Standard 42" Firebox

SPECIFICATIONS: BLANK 50" MODEL

Overall Dimensions	6' 0" W x 4' 5" H
Opening Dimensions	4' 8" W x 3' 9" H
Depth / Return	8" Return | 8" Face
Firebox Match	Standard 50" Firebox

